

Drug Facts

Active ingredients
(in each 5 mL, 1 teaspoons)

Uses • temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold, and nasal congestion due to the common cold, hay fever (allergic rhinitis):

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- temporary restores freer breathing through the nose

Warnings

Do not use

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or parkinson's disease), or for 2 weeks after stopping the MAOI drugs. If you do not know if your prescription drug contain an MAOI, ask a doctor or pharmacist before taking this product.

Ask doctor or harmacist before use if you are

- * taking any other oral nasal stimulant or decongestant
- * taking sedatives or tranquilizers

When using this product

- do not use more than directed
- may cause marked drowsiness

COLD & COUGH DM

Antihistamine

(Brompheniramine Maleate)

Cough Suppressant

(Dextromethorphan HBr)

Nasal decongestant

(Phenylephrine HCl)

Honey Flavor

For temporary relief of cold and cough symptoms including:

Stuffy Nose

Runny Nose

Itchy, Watery Eyes

Coughing

Sneezing



QUALITY
CHOICE

4 FL OZ (118 mL)

COLD & COUGH DM

Honey Flavor



For temporary relief of cold and cough symptoms including:

Stuffy Nose

Runny Nose

Itchy, Watery Eyes

Coughing

Sneezing

Alcohol-Free

4 FL OZ (118 mL)

Drug Facts (continued)

- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- * be careful when driving a motor or operating machinery
- excitability may occur, especially in children

Keep this and all drugs out of the reach of the children.

In case of accidental overdose, seek professional assistance or contact Poiso Control Center (1-800-222-1222) immediately.


Directions

- tsp = teaspoon, mL = milliliter
- do not take more than 6 doses in 24-hour period

age	dose
adults and children 12 years and over	4 teaspoonfuls every 4 hours
Children 6 to under 12 years	2 teaspoonfuls every 4 hours
Children under 6 years	do not use

Inactive Ingredients blue 1, citric acid, flavor, glycerin, propylene glycol, purified water, red 40, sodium benzoate, sodium citrate, sorbitol, sucralose

TEMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL IS BROKEN



640509-040147