

Unioil

40 SF/CF

GASOLINE ENGINE OIL

MONOGRADE



1L

HIGH PERFORMANCE ENGINE OIL

Unioil

40 SF/CF

GASOLINE ENGINE OIL

HIGH PERFORMANCE ENGINE OIL

APPLICATION

- Suitable for gasoline engines where API SF/CF or earlier specifications are recommended.
- Suited for engines with Indirect Fuel Injection and engines using diesel fuel with either low or high sulfur content.
- Suited for engines with Indirect Fuel Injection, Turbocharged, Supercharged & naturally aspirated engines.

BENEFITS

- Provides improved protection against engine wear.
- Effective control against piston deposits.
- Protects bearing parts from rust and corrosion. Provides special protection on bearings with copper elements.
- Increased oxidation resistance.
- Enhanced with detergency and dispersants additives to clean your engine.
- Increased protection from engine deposits & sludge formation.
- Provides superior protection to gasoline engines using high sulfur gasoline fuels.
- Superior anti-foam performance.

HEALTH AND SAFETY

1. Avoid contact with eyes and prolonged or repeated contact with skin.
2. In case of skin or eye contact, immediately wash the affected body part with clean water and mild soap.
3. In case of accidental ingestion, immediately consult a doctor.
4. Keep out of reach of children.

STORAGE CONDITIONS

1. Store in a cool & dry place away from direct sunlight.
2. Flammable. Keep away from heat or open flame.

ENVIRONMENT

1. Help protect the environment. Dispose used oil properly.
2. Do not dispose used oil into public drainage, soil or water bodies.



Manufactured under strict compliance to ISO 14000 & 9001 standards.
Manufactured & distributed by: Unioil Petroleum Philippines, Incorporated
Rubbermaster Road, Barrio Lingunan, Valenzuela City

For inquiries & suggestions,
Email us at: inquiry@unioil.com Website: www.unioil.com

UN000000

1L

Unioil

20W-50 SG/CD

GASOLINE ENGINE OIL

MULTIGRADE



1L

HIGH PERFORMANCE ENGINE OIL

Unioil

20W-50 SG/CD

GASOLINE ENGINE OIL

HIGH PERFORMANCE ENGINE OIL

APPLICATION

- Suitable for gasoline engines where API SG/CD or earlier specifications are recommended.

BENEFITS

- Provides improved protection against engine wear.
- Effective control against piston deposits.
- Protects bearing parts from rust and corrosion. Provides special protection on bearings with copper elements.
- Increased oxidation resistance.
- Enhanced with detergency and dispersants additives to clean your engine.
- Increased protection from engine deposits & sludge formation.
- Provides superior protection to gasoline engines using high sulfur gasoline fuels.
- Superior anti-foam performance.

HEALTH AND SAFETY

1. Avoid contact with eyes and prolonged or repeated contact with skin.
2. In case of skin or eye contact, immediately wash the affected body part with clean water and mild soap.
3. In case of accidental ingestion, immediately consult a doctor.
4. Keep out of reach of children.

STORAGE CONDITIONS

1. Store in a cool & dry place away from direct sunlight.
2. Flammable. Keep away from heat or open flame.

ENVIRONMENT

1. Help protect the environment. Dispose used oil properly.
2. Do not dispose used oil into public drainage, soil or water bodies.



Manufactured under strict compliance to ISO 14000 & 9001 standards.
Manufactured & distributed by: Unioil Petroleum Philippines, Incorporated
Rubbermaster Road, Barrio Lingunan, Valenzuela City

For inquiries & suggestions,
Email us at: inquiry@unioil.com Website: www.unioil.com

UN000000

1L

Unioil

10W-40 SN/CF

GASOLINE ENGINE OIL

SEMI-SYNTHETIC



1L

SUPERIOR PROTECTION AND HIGH PERFORMANCE

Unioil

10W-40 SN/CF GASOLINE ENGINE OIL SEMI-SYNTHETIC

APPLICATION

- Suitable for gasoline or LPG engines where API SN/CF or earlier specifications are recommended.
- Suitable for vehicles with aftertreatment units (e.g. Catalytic Converter, Exhaust Gas Recirculation, etc.)

BENEFITS

- Provides maximum protection against engine wear.
- Improved fuel efficiency.
- Faster cold engine start up.
- Excellent oil viscosity stability even at very high temperatures.
- High temperature deposit protection for pistons.
- Protects against sludge formation, rust formation & oxidative thickening.
- Compatible with most engine seals.
- Superior anti-foam performance.

HEALTH AND SAFETY

1. Avoid contact with eyes and prolonged or repeated contact with skin.
2. In case of skin or eye contact, immediately wash the affected body part with clean water and mild soap.
3. In case of accidental ingestion, immediately consult a doctor.
4. Keep out of reach of children.

STORAGE CONDITIONS

1. Store in a cool & dry place away from direct sunlight.
2. Flammable. Keep away from heat or open flame.

ENVIRONMENT

1. Help protect the environment. Dispose used oil properly.
2. Do not dispose used oil into public drainage, soil or water bodies.



Manufactured under strict compliance to ISO 14000 & 9001 standards.
Manufactured & distributed by: Unioil Petroleum Philippines, Incorporated
Rubbermaster Road, Barrio Lingunan, Valenzuela City

For inquiries & suggestions,
Email us at: inquiry@unioil.com Website: www.unioil.com

UN000000

1L

Unioil

5W-30 SN

GASOLINE ENGINE OIL

FULLY-SYNTHETIC



1L

**SUPERIOR PROTECTION
AND HIGH PERFORMANCE**

Unioil

5W-30 SN GASOLINE ENGINE OIL FULLY-SYNTHETIC

APPLICATION

- Suitable for gasoline engines where API SN specification is recommended.
- Suitable for vehicles with after treatment units (e.g. Catalytic Converter, Exhaust Gas Recirculation, etc.)

BENEFITS

- Provides the best engine protection using the latest synthetic oil technology.
- Longer change oil intervals.
- Superior fuel efficiency.
- Faster cold engine start up.
- Excellent oil viscosity stability even at extreme temperatures.
- Excellent control against sludge formation & oxidative thickening.
- Compatible with most engine seals.
- Superior anti-foam performance.

HEALTH AND SAFETY

1. Avoid contact with eyes and prolonged or repeated contact with skin.
2. In case of skin or eye contact, immediately wash the affected body part with clean water and mild soap.
3. In case of accidental ingestion, immediately consult a doctor.
4. Keep out of reach of children.

STORAGE CONDITIONS

1. Store in a cool & dry place away from direct sunlight.
2. Flammable. Keep away from heat or open flame.

ENVIRONMENT

1. Help protect the environment. Dispose used oil properly.
2. Do not dispose used oil into public drainage, soil or water bodies.



Manufactured under strict compliance to ISO 14000 & 9001 standards.
Manufactured & distributed by: Unioil Petroleum Philippines, Incorporated
Rubbermaster Road, Barrio Lingunan, Valenzuela City

For inquiries & suggestions,
Email us at: inquiry@unioil.com Website: www.unioil.com
UN000000

1L