



## Unter

### 40 CF/SF

DIESEL ENGINE OIL

HIGH PERFORMANCE ENGINE OIL

### **APPLICATION**

- · Suitable for diesel engines where API CF/SF or earlier specifications are recommended.
- . Suited for engines with Indirect Fuel Injection, Turbocharged, Supercharged & naturally aspirated engines.

### **BENEFITS**

- · Provides improved protection against engine wear.
- · Effective control against piston deposits.
- · Protects bearing parts from rust and corrosion. Provides special protection on bearings with copper elements.
- · Increased oxidation resistance.
- Enhanced with detergency and dispersants additives to clean your engine.
- Increased protection from engine deposits & sludge formation.
- Provides superior protection to diesel engines using high sulfur diesel fuels.
- Superior anti-foam performance.

### **HEALTH AND SAFETY**

- 1. Avoid contact with eyes and prolonged or repeated contact with skin.
- 2. In case of skin or eye contact, immediately wash the affected body part with clean water and mild soap.
- 3. In case of accidental ingestion, immediately consult a doctor.
- 4. Keep out of reach of children.

### STORAGE CONDITIONS

- 1. Store in a cool & dry place away from direct sunlight.
- 2. Flammable. Keep away from heat or open flame.

### ENVIRONMENT

UN000000

- 1. Help protect the environment. Dispose used oil properly.
- 2. Do not dispose used oil into public drainage, soil or water bodies.



Manufactured under strict compliance to ISO 14000 & 9001 standards.

Manufactured & distributed by: Unioil Petroleum Philippines, Incorporated Rubbermaster Road, Barrio Lingunan, Valenzuela City

For inquiries & suggestions,

Email us at: inquiry@unioil.com Website: www.unioil.com

1L

# 15W-40 CF-4/SG DIESEL ENGINE OIL



### 

15W-40 CF-4/SG

DIESEL ENGINE OIL

HIGH PERFORMANCE ENGINE OIL

### **APPLICATION**

- Suitable for diesel engines where API CF-4/SG or earlier specifications are recommended.
- Suited for engines with Indirect Fuel Injection, Turbocharged, Supercharged & naturally aspirated engines.

### BENEFITS

- Provides enhanced protection against engine wear.
- Protects bearing parts from rust and corrosion. Provides special protection on bearings with copper elements.
- · Provides extra protection for bearings containing copper elements.
- Improves protection for piston rings and liners against wear and corrosion.
- · Improved oxidation resistance.
- Improved anti-foam performance.

### **HEALTH AND SAFETY**

- 1. Avoid contact with eyes and prolonged or repeated contact with skin.
- In case of skin or eye contact, immediately wash the affected body part with clean water and mild soap.
- 3. In case of accidental ingestion, immediately consult a doctor.
- 4. Keep out of reach of children.

### STORAGE CONDITIONS

- 1. Store in a cool & dry place away from direct sunlight.
- 2. Flammable. Keep away from heat or open flame.

### ENVIRONMENT

- $1. \ Help\ protect\ the\ environment.\ Dispose\ used\ oil\ properly.$
- Do not dispose used oil into public drainage, soil or water bodies.



Manufactured under strict compliance to ISO 14000 & 9001 standards.

Manufactured & distributed by: Unioil Petroleum Philippines, Incorporated
Rubbermaster Road, Barrio Lingunan, Valenzuela City

For inquiries & suggestions,

Email us at: inquiry@unioil.com Website: www.unioil.com UN000000

1L

## 15W-40 CI-4



## UNTENTI

15W-40 CI-4

DIESEL ENGINE OIL

HIGH PERFORMANCE ENGINE OIL

### **APPLICATION**

- Suitable for diesel engines where API CI-4 or earlier specifications are recommended.
- · Suitable for city driving, highway, off-road & severe duty conditions.
- Suitable for engines equipped with exhaust gas recirculation(EGR) & other vehicles equipped with exhaust emission units.
- Suited for engines with Direct and Indirect Fuel Injection, Turbocharged, Supercharged & naturally aspirated engines.

### **BENEFITS**

- Superior engine oil performance that exceeds Category CH-4, CG-4, CF-4, CE and CD oils.
- Improved protection against valve train and corrosive wear, especially on bearings containing copper elements.
- · Improved control of oil consumption.
- · Improved viscosity control & stability over low and high temperatures.
- Excellent resistance to viscosity loss due to shearing and severe engine conditions.
- Excellent resistance to oxidative thickening of the engine oil.
- Superior soot handling properties & better piston deposit control.
- Improved anti-foam performance.

### **HEALTH AND SAFETY**

- 1. Avoid contact with eyes and prolonged or repeated contact with skin.
- In case of skin or eye contact, immediately wash the affected body part with clean water and mild soap.
- 3. In case of accidental ingestion, immediately consult a doctor.
- 4. Keep out of reach of children.

### STORAGE CONDITIONS

- 1. Store in a cool & dry place away from direct sunlight.
- 2. Flammable. Keep away from heat or open flame.

### ENVIRONMENT

- 1. Help protect the environment. Dispose used oil properly.
- Do not dispose used oil into public drainage, soil or water bodies.



Manufactured under strict compliance to ISO 14000 & 9001 standards.

Manufactured & distributed by: Unioil Petroleum Philippines, Incorporated
Rubbermaster Road, Barrio Lingunan, Valenzuela City

For inquiries & suggestions,

Email us at: inquiry@unioil.com Website: www.unioil.com UN000000

1L