



# 15W-40 CF-4/SG

## DIESEL ENGINE OIL

### MULTIGRADE



# 4L

## HIGH PERFORMANCE ENGINE OIL



## 15W-40 CF-4/SG DIESEL ENGINE OIL MULTIGRADE

### APPLICATION

- Suitable for diesel engines where API CF-4/SG or earlier specifications are recommended.
- Suited for engines with Indirect Fuel Injection, Turbocharged, Supercharged & naturally aspirated engines.

### BENEFITS

- Provides enhanced protection against engine wear.
- Protects against rust and bearing corrosion (even bearings containing copper elements).
- Provides extra protection for bearings containing copper elements.
- Improves protection for piston rings and liners against wear and corrosion.
- Improved oxidation resistance.
- Improved anti-foam performance.

### HEALTH AND SAFETY

1. Avoid contact with eyes and prolonged or repeated contact with skin.
2. In case of skin or eye contact, immediately wash the affected body part with clean water and mild soap.
3. In case of accidental ingestion, immediately consult a doctor.
4. Keep out of reach of children.

### STORAGE CONDITIONS

1. Store in a cool & dry place away from direct sunlight.
2. Flammable. Keep away from heat or open flame.

### ENVIRONMENT

1. Help protect the environment. Dispose used oil properly.
2. Do not dispose used oil into public drainage, soil or water bodies.

Manufactured under strict compliance to ISO 14000 & 9001 standards.  
 Manufactured & distributed by: Unioil Petroleum Philippines, Incorporated  
 Rubbermaster Road, Barrio Lingunan, Valenzuela City

For inquiries & suggestions,  
 Email us at: [inquiry@unioil.com](mailto:inquiry@unioil.com) Website: [www.unioil.com](http://www.unioil.com)

UN000000



# 4L



# 15W-40 CI-4

## DIESEL ENGINE OIL

### MULTIGRADE



# 4L

### HIGH PERFORMANCE ENGINE OIL



## 15W-40 CI-4 DIESEL ENGINE OIL MULTIGRADE

#### APPLICATION

- Suitable for diesel engines where API CI-4 or earlier specifications are recommended.
- Suitable for city driving, highway, off-road & severe duty conditions.
- Suitable for engines equipped with exhaust gas recirculation (EGR) & other vehicles equipped with exhaust emission units.
- Suited for engines with Direct and Indirect Fuel Injection, Turbocharged, Supercharged & naturally aspirated engines.

#### BENEFITS

- Superior engine oil performance that exceeds Category CH-4, CG-4, CF-4, CE and CD oils.
- Improved protection against valve train and corrosive wear, especially on bearings containing copper elements.
- Improved control of oil consumption.
- Improved viscosity control & stability over low and high temperatures.
- Excellent resistance to viscosity loss due to shearing and severe engine conditions.
- Excellent resistance to oxidative thickening of the engine oil.
- Superior soot handling properties & better piston deposit control.
- Improved anti-foam performance.

#### HEALTH AND SAFETY

1. Avoid contact with eyes and prolonged or repeated contact with skin.
2. In case of skin or eye contact, immediately wash the affected body part with clean water and mild soap.
3. In case of accidental ingestion, immediately consult a doctor.
4. Keep out of reach of children.

#### STORAGE CONDITIONS

1. Store in a cool & dry place away from direct sunlight.
2. Flammable. Keep away from heat or open flame.

#### ENVIRONMENT

1. Help protect the environment. Dispose used oil properly.
2. Do not dispose used oil into public drainage, soil or water bodies.

Manufactured under strict compliance to ISO 14000 & 9001 standards.  
 Manufactured & distributed by: Unioil Petroleum Philippines, Incorporated  
 Rubbermaster Road, Barrio Lingunan, Valenzuela City

For inquiries & suggestions,  
 Email us at: [inquiry@unioil.com](mailto:inquiry@unioil.com) Website: [www.unioil.com](http://www.unioil.com)

UN000000



640509 040147

# 4L



# 40 CF/SF

## DIESEL ENGINE OIL

### MONOGRADE



# 4L

### HIGH PERFORMANCE ENGINE OIL



## 40 CF/SF DIESEL ENGINE OIL MONOGRADE

#### APPLICATION

- Suitable for diesel engines where API CF/SF or earlier specifications are recommended.
- Suited for engines with Indirect Fuel Injection, Turbocharged, Supercharged & naturally aspirated engines.

#### BENEFITS

- Provides improved protection against engine wear.
- Effective control against piston deposits.
- Protects bearing parts from rust and corrosion. Provides special protection on bearings with copper elements.
- Increased oxidation resistance.
- Enhanced with detergency and dispersants additives to clean your engine.
- Increased protection from engine deposits & sludge formation.
- Provides superior protection to diesel engines using high sulfur diesel fuels.
- Superior anti-foam performance.

#### HEALTH AND SAFETY

1. Avoid contact with eyes and prolonged or repeated contact with skin.
2. In case of skin or eye contact, immediately wash the affected body part with clean water and mild soap.
3. In case of accidental ingestion, immediately consult a doctor.
4. Keep out of reach of children.

#### STORAGE CONDITIONS

1. Store in a cool & dry place away from direct sunlight.
2. Flammable. Keep away from heat or open flame.

#### ENVIRONMENT

1. Help protect the environment. Dispose used oil properly.
2. Do not dispose used oil into public drainage, soil or water bodies.

Manufactured under strict compliance to ISO 14000 & 9001 standards.  
 Manufactured & distributed by: Unioil Petroleum Philippines, Incorporated  
 Rubbermaster Road, Barrio Lingunan, Valenzuela City

For inquiries & suggestions,  
 Email us at: [inquiry@unioil.com](mailto:inquiry@unioil.com) Website: [www.unioil.com](http://www.unioil.com)

UN000000



640509 040147

# 4L