



NOTE: TIMBER JOISTS & PLY DONE BY OTHERS

- GENERAL NOTES**
1. ALL STEEL WORK SHALL BE MILD STEEL TO BS EN 10225 2004. ALL STEEL TO BE GALVANISED TO 150µm.
 2. THIS DRAWING SHOULD NOT BE SCALED.
 3. ALL STRUCTURAL STEEL TO BE IN ACCORDANCE WITH BS80 2000 AND THE NATIONAL STRUCTURAL STEELWORK SPECIFICATION 4TH EDITION.
 4. ALL WELDS TO BE 6mm FILLET WELD.
 5. ALL STEELWORK TO BE GRADE S275.
 6. ALL BOLTS TO BE GRADE 8.8.

REV D - 03.05.08 - DETAILS CHANGED
 REV C - 27.08.08 - TIMBER JOISTS ADDED. LOCATION OF X BRACING CONNECTION DETAILS & BEAM SIZES INDICATED ON PLAN
 REV B - CHINA MANS HAT
 REV A - PARLINGS OMINATED

CLIENT			
PROJECT			
DRAWING TITLE			
DRAWN BY	CHECKED BY	DATE	SCALE
PROJECT No. 009	DATE 19/10	SCALE	AS NOTED
REV D			