DOOR SCHEDULE 15THFLOOR <u>GL. = GLASS</u> <u>WD. = WOOD</u> <u>MTL. = METAL</u> <u>PTD = PAINTED</u> <u>STN. = STAINED</u> DOOR REMARKS NUMBER W. | HT. | THK. | <u>MAT.</u> | <u>FIN.</u> | <u>MAT.</u> | <u>FIN.</u> HERCULITE DOORS W/ TEMPERED GLASS 3'-0" | 8'-0" | 1/2" | GL. | CLEAR | NO | NA. | T.B.D. | T.B.D. | A W/ RIXSON PIVIT HINGES (MODEL T.B.D.) HERCULITE DOORS W/ TEMPERED GLASS 3'-0" 8'-0" 1/2" GL. CLEAR NO NA. T.B.D. T.B.D. W/ RIXSON PIVIT HINGES (MODEL T.B.D.) HERCULITE DOORS W/ TEMPERED GLASS 3'-0" | 8'-0" | 1/2" | GL. | CLEAR | NO | NA. | T.B.D. | T.B.D. | A W/ RIXSON PIVIT HINGES (MODEL T.B.D.) HERCULITE DOORS W/ TEMPERED GLASS <u>3'-0" 8'-0" 1/2" GL. CLEAR NO NA. T.B.D. T.B.D. A</u> W/ RIXSON PIVIT HINGES (MODEL T.B.D.) HERCULITE DOORS W/ TEMPERED GLASS 3'-0" | 8'-0" | 1/2" | GL. | CLEAR | NO | NA. | T.B.D. | T.B.D. | A W/ RIXSON PIVIT HINGES (MODEL T.B.D.) METAL DOOR W/ METAL HINGES (MODEL T.B.D.) + <u>3'-0"</u> <u>8'-0"</u> <u>1 3/4"</u> <u>MTL.</u> <u>PTD.</u> <u>MTL.</u> <u>PTD.</u> <u>T.B.D.</u> <u>T.B.D.</u> <u>B</u> ZERO 365AA AUTOMATIC DOOR BOTTOM. SOLID CORE DOOR - SPECIES (T.B.D.) <u>3'-6" 8'-0" 1 3/4" WD. PTD. WD. PTD. T.B.D. T.B.D. C</u> W/ RIXSON PIVIT HINGES (T.B.D.) SOLID CORE DOOR - SPECIES (T.B.D.) | <u>3'-6"</u> | <u>8'-0"</u> | <u>1 3/4"</u> | <u>WD.</u> | <u>PTD.</u> | <u>WD.</u> | <u>PTD.</u> | <u>T.B.D.</u> | <u>T.B.D.</u> | <u>C</u> W/ RIXSON PIVIT HINGES (T.B.D.)

GLAZING SCHEDULE								
15THFLOOR			GL. =	: GLASS	WE). = WO	OD MTL. = METAL	
PANEL	EL PANEL				FRAME		REMARKS	
NUMBER	<u>W.</u>	HT.	THK.	MAT.	FIN.	MAT.	FIN.	
1	1'-3 3/4'	8'-0"	1/2"	GL.	CLEAR	MTL. WD.	PTD.	1/2" TEMPERED GLASS - RECESSED 3/4" METAL CHANNEL @ FLOOR + RECESSED WOOD FRAME @ HEAD. SEE DTL. @ A-3.
2	3'-7 1/2'	8'-0"	1/2"	GL.	CLEAR	MTL. WD.	PTD.	1/2" TEMPERED GLASS - RECESSED 3/4" METAL CHANNEL @ FLOOR + RECESSED WOOD FRAME @ HEAD. SEE DTL. @ A-3.
<u>3 + 3a</u>	2'-101/2 EACH	<u>8'-0"</u>	1/2"	GL.	CLEAR	MTL. WD.	PTD.	1/2" TEMPERED GLASS - RECESSED 3/4" METAL CHANNEL @ FLOOR + RECESSED WOOD FRAME @ HEAD. SEE DTL. @ A-3.
4	1'-6"	8'-0"	1/2"	GL.	CLEAR	MTL. WD.	PTD.	1/2" TEMPERED GLASS - RECESSED 3/4" METAL CHANNEL @ FLOOR + RECESSED WOOD FRAME @ HEAD. SEE DTL. @ A-3.
5	1'-6"	8'-0"	1/2"	GL.	CLEAR	MTL. WD.	PTD.	1/2" TEMPERED GLASS - RECESSED 3/4" METAL CHANNEL @ FLOOR + RECESSED WOOD FRAME @ HEAD. SEE DTL. @ A-3.
<u>6 + 6a</u>	1'-10 5/8 EACH	8'-0"	1 3/4"	MTL.	CLEAR	MTL. WD.	PTD.	1/2" TEMPERED GLASS - RECESSED 3/4" METAL CHANNEL @ FLOOR + RECESSED WOOD FRAME @ HEAD. SEE DTL. @ A-3.
<u>7 + 7A</u>	2'-1 1/4' EACH	<u>8'-0"</u>	1 3/4"	WD.	CLEAR	MTL. WD.	PTD.	1/2" TEMPERED GLASS - RECESSED 3/4" METAL CHANNEL @ FLOOR + RECESSED WOOD FRAME @ HEAD. SEE DTL. @ A-3.


ALL PARTITION FRAMING/STUDS WHICH ARE MOUNTED TO THE EXISTING WOOD FLOOR MUST BE INSTALLED USING SCREWS (INSTALLATION NOT TO BE WITH NAILS) WITH PAPER BETWEEN THE STUD/TRACK AND WOOD FLOOR.

INTERIOR WALL TYPE SCHEDULE						
15THFLOOR						
WALL TYPE	REMARKS	REMARKS				
A	NEW PARTITIONS : 2 LAYERS 5/8" SHEETROCK EACH SIDE ON 2"X4" METAL STUDS 16" O.C. WITH "ROXUL" SOUND PROOFING.	CONTRACTOR TO PROVIDE STAGGERED DOUBLE LAYER OF 5/8" SHEETROCK EACH SIDE W/ "GREEN GLUE" FOR ALL SEAMS + JOINTS + "QUIET PUTTY" AROUND ALL THE PENETRATING ELECTRICAL / DATA BOXES.				
В	NEW PARTITIONS : 1 LAYER 5/8" SHEETROCK EACH SIDE ON 2"X4" METAL STUDS 16" O.C. WITH REQUIRED INSULATION					

CONSTRUCTION NOTE: WOOD FLOORING MUST BE INSTALLED PRIOR TO INSTALLATION OF ALL PARTITIONS, CLOSETS, CABINETRY, ETC.

LEGEND OF SYMBOLS						
SYMBOL:	DESCRIPTION:					
	EXISTING PARTITIONS TO REMAIN:					
	KISTING PARTITIONS TO BE REMOVED:					
	NEW PARTITIONS: 1 LAYER 5/8" SHEETROCK EACH SIDE ON 2"X4" METAL STUDS 16" O.C. WITH REQUIRED INSULATION					
	NEW PARTITIONS: 2 LAYERS 5/8" SHEETROCK EACH SIDE ON 2"X4" METAL STUDS 16" O.C. WITH "ROXUL" SOUND PROOFING.					
	NEW BLOCKING (WOOD, METAL) AT EXISTING PARTITIONS:					
A	EXISTING BUILDING STEAM RADIATOR:					
	EXISTING BUILDING ELECTRIC BASEBOARD RADIATOR:					
	ELECTRIC PANEL :					
РВ—	FIRE DEPT. SAFTEY WALL MTD. PULL BOX :					
ws-	FIRE DEPT. SAFTEY WALL MTD. FLOOR WARDEN STA. CALL BOX:					
- \$ +	FIRE DEPT. SAFTEY STROBE WALL MTD. LIGHT FIXTURE:					
DOOR NO. 1 A DOOR TYPE	NEW DOOR KEY					
— 1	NEW INTERIOR GLAZING KEY					
— <u>A</u>	NEW INTERIOR WALL TYPE KEY					

LIST OF DRAWINGS						
DWG. NO.:	DESCRIPTION:					
A-0	SITE PLAN, NOTES, LIST OF DRAWINGS, H.C. DETAILS,					
A-1	CONSTRUCTION PLAN, WALL TYPE SCHEDULE, DOOR SCHEDULE, GLAZING SCHEDULE:					
A-2	REFLECTED CEILING PLAN:					
A-3	ELEVATIONS, SECTION DETAILS, GLAZING DETAIL, COLUMN ENCLOSURE DETAIL:					
A-4	DETAILS:					
E-1	POWER, DATA, TELEPHONE, WIRELESS MOTEM, PLAN:					
E-2	RCP /LIGHTING + SWITCHING PLAN:					
P-1	PLUMBING PLAN:					
M-1	RCP / MECHANICAL / HVAC + SUPPLEMENTAL A/C PLAN :					
F-1	FURNITURE PLAN + FURNITURE SCHEDULE:					
F-2	FINISH PLAN, PAINTED SCHEDULE:					
D-1	DEMOLITION PLAN					
EX-1	EXISTING CONDITIONS / AS-BUILT PLAN:					






Dwg. Title: Plan – Construction – 15th Floc Project:

NTROPICS OFFICES

30 WEST 21ST STREET 15,16TH F
NEW YORK, N.Y. 10010

F DESIGN - MARIA H SON AVENUE NEW YORK, N C: 646 404-3253 EMAIL: marial@quintdesign. QUINT 232 MADISC

REVISIONS:



LEGEND OF SYMBOLS

NEW PARTITIONS : 1 LAYER 5/8" SHEETROCK EACH SIDE ON 2"X4" METAL STUDS 16" O.C. WITH REQUIRED INSULATION

NEW BLOCKING (WOOD, METAL) AT EXISTING PARTITIONS:

NEW PARTITIONS: 2 LAYERS 5/8" SHEETROCK EACH SIDE ON 2"X4" METAL STUDS 16" O.C. WITH "ROXUL" SOUND PROOFING.

DESCRIPTION:

EXISTING PARTITIONS TO REMAIN:

EXISTING PARTITIONS TO BE REMOVED:

EXISTING BUILDING STEAM RADIATOR:

FIRE DEPT. SAFTEY WALL MTD. PULL BOX :

FIRE DEPT. SAFTEY WALL MTD. FLOOR WARDEN STA. CALL BOX:

FIRE DEPT. SAFTEY STROBE WALL MTD. LIGHT FIXTURE:

EXISTING BUILDING ELECTRIC BASEBOARD RADIATOR:

ELECTRIC PANEL :

—(A)

NEW DOOR KEY

NEW INTERIOR GLAZING KEY

NEW INTERIOR WALL TYPE KEY

SYMBOL:




REVISIONS:

Date: JULY 18, 2016

QUINT DESIGN - MARIA H. LOPEZ

Z32 MADISON AVENUE NEW YORK, N.Y. 10016
C: 646 404-3253
EMAIL: marial@quintdesign.com





		Г	1
	Scale: $1/4$ "=1'-0"	LOPEZ	
ISSUED OCTOBER 11, 2016 - REVISED CD / BID SET. ISSUED SEPTEMBER 19, 2016 - REVISED BID SET.	Date: JULY 18, 2016 Scale:	QUINT DESIGN - MARIA H. LOPEZ	
	1		

REVISIONS:

DESCRIPTION:

NEW DUPLEX OUTLET:

DEDICATED DUPLEX OUTLET:

GROUND FAULT OUTLET:


EXISTING SWITCH:


NEW SWITCH: ALL SWITCHES TO HAVE DIMMERS.

UPS DISTRIBUTION PANEL

UPS DISCONNECT

NEW QUAD FLOOR OUTLET:





REVISIONS:


Dwg. Title: Details – Construction – 15th F
Project:

NTROPICS OFFICES

30 WEST 21ST STREET 15,16TH F
NEW YORK, N.Y. 10010

A-3





LIGHTING, SWITCHING, WIRING - CONSTRUCTION -15TH FLOOR PLAN

SCALE = 1/4*=1'-0*

NEW SMOKE / CARBON ALARM:

EXIT

A

BATTERY OPERATED EMERGENCY LIGHT WALL MOUNTED :


ILLUMINATED DIRECTIONAL EXIT SIGN

NEW DOOR KEY

NEW INTERIOR GLAZING KEY

NEW INTERIOR WALL TYPE KEY

NEW BATTERY OPERATED EMERGENCY LIGHT WALL MOUNTED :



QUINT DESIGN - MARIA H. L
232 MADISON AVENUE NEW YORK, N.Y.
C: 646 404-3253
EMAIL: marial@quintdesign.com

REVISIONS:

Dwg. Title: Lighting, Switching, Wiring Plan – 15
Project:


NTROPICS OFFICES

30 WEST 21ST STREET 15,16TH F
NEW YORK, N.Y. 10010


FURNITURE SCHEDULE						
15THFLOOR						
FIXTURE TYPE	QUANTITY	STATUS	MODEL NO. / DESCRIPTION REMARKS			
A	<u>1X</u>	EXISTING NEW	RECEPTION DESK REQUIRES REFURBISH / REPAIR			
B			RECEPTION CHAIR			
<u>C</u>			RECEPTION SEATING			
<u>D</u>			RECEPTION END TABLES			
E			CONFERENCE TABLE			
F			CONFERENCE CHAIRS			
G			CLIENT OFFICE DESK			
H			CLIENT OFFICE DESK CHAIR			
			CLIENT OFFICE DESK CHAIR			
<u>J</u>			CLIENT OFFICE 1 COUCH "A"			
K			CLIENT OFFICE 1 COUCH "B"			
Ĺ			CLIENT OFFICE 2 COUCH "C"			
M			CLIENT OFFICE SIDE TABLE "A"			
N			PRODUCER OFFICES 1,2 DESK			
0			PRODUCER OFFICES 1,2 DESK CHAIR			
P			PRODUCER OFFICES 1,2 SIDE CHAIR			
Q			OPEN OFFICE DESK			

FURNITURE SCHEDULE						
15THFLOOR						
FIXTURE TYPE	QUANTITY	STATUS	MODEL NO. / DESCRIPTION REMARKS			
0	<u>1X</u>	EXISTING NEW	RECEPTION DESK	REQUIRES REFURBISH / REPAIR		
P			PRODUCER OFFICES 1,2 SIDE CHAIR			
Q			OPEN OFFICE DESK			
R	OPEN OFFICE DESK CHAIR					
<u>S</u>			OPEN OFFICE SEATING			
T			OPEN OFFICE END TABLE			
<u>U</u>			IT SERVER ROOM - METRO-WIRE WORK TABLE W/ SHELVING ABOVE. + BELOW.			
V			IT SERVER ROOM - COMPUTER EQUIPMENT RACK			
W	W		IT SERVER ROOM - FUTURE COMPUTER EQUIPMENT RACK			
X			IT SERVER ROOM - NEW 20KVA UPS			
Y			IT SERVER ROOM - DATA RACK			

LEGEND OF SYMBOLS				LEGEND OF SYMBOLS
SYMBOL:	DESCRIPTION:		SYMBOL:	DESCRIPTION:
	EXISTING PARTITIONS TO REMAIN:			ELECTRIC PANEL :
	EXISTING PARTITIONS TO BE REMOVED:		РВ—	FIRE DEPT. SAFTEY WALL MTD. PULL BOX:
	NEW PARTITIONS: 1 LAYER 5/8" SHEETROCK EACH SIDE ON 2"X4" METAL STUDS 16" O.C. WITH REQUIRED INSULATION		ws-	FIRE DEPT. SAFTEY WALL MTD. FLOOR WARDEN STA. CALL BOX:
	NEW PARTITIONS: 2 LAYERS 5/8" SHEETROCK EACH SIDE_ ON 2"X4" METAL STUDS 16" O.C. WITH "ROXUL" SOUND PROOFING.		-\$+	FIRE DEPT. SAFTEY STROBE WALL MTD. LIGHT FIXTURE:
	NEW BLOCKING (WOOD, METAL) AT EXISTING PARTITIONS:		A	NEW DOOR KEY
	EXISTING BUILDING STEAM RADIATOR:		—(A)	NEW INTERIOR GLAZING KEY
	EXISTING BUILDING ELECTRIC BASEBOARD RADIATOR:		—[A]	NEW INTERIOR WALL TYPE KEY







QUINT DESIGN - MARIA H. L

232 MADISON AVENUE NEW YORK, N.Y. 1

C:646 404-3253
EMAIL: marial@quintdesign.com

NUMBE NUMBE SANOISISA DESCRI

Dwg. Title: Plumbing – Construction – 15th Project:

NTROPICS OFFICES
30 WEST 21ST STREET 15,16TH REWORSRK, N.Y. 10010

 $\underbrace{1 \xrightarrow{\text{PLUMBING PLAN - CONSTRUCTION -15TH FLOOR PLAN}}_{\text{SCALE = 1/4"=1"-0"}}$

LEGEND OF SYMBOLS

NEW PARTITIONS : 1 LAYER 5/8" SHEETROCK EACH SIDE ON 2"X4" METAL STUDS 16" O.C. WITH REQUIRED INSULATION

NEW BLOCKING (WOOD, METAL) AT EXISTING PARTITIONS:

NEW PARTITIONS: 2 LAYERS 5/8" SHEETROCK EACH SIDE_ ON 2"X4" METAL STUDS 16" O.C. WITH "ROXUL" SOUND PROOFING.

EXISTING PARTITIONS TO REMAIN:

EXISTING BUILDING STEAM RADIATOR:

ELECTRIC PANEL :

EXISTING BUILDING ELECTRIC BASEBOARD RADIATOR:

NEW INTERIOR GLAZING KEY

NEW INTERIOR WALL TYPE KEY

FIRE DEPT. SAFTEY WALL MTD. PULL BOX :

FIRE DEPT. SAFTEY WALL MTD. FLOOR WARDEN STA. CALL BOX:


FIRE DEPT. SAFTEY STROBE WALL MTD. LIGHT FIXTURE:

EXISTING PARTITIONS TO BE REMOVED:

SYMBOL: DESCRIPTION:

—[A]

DOOR NO. 1 A DOOR TYPE





NUMBE NUMBE DATE: BY: DESCRI

Date: JULY 18, 2016

QUINT DESIGN - MARIA H. LOPEZ

232 MADISON AVENUE NEW YORK, N.Y. 10016

C: 646 404-3253
EMAIL: marial@quintdesign.com

D-1

LEGEND OF SYMBOLS

NEW PARTITIONS: 1 LAYER 5/8" SHEETROCK EACH SIDE ON 2"X4" METAL STUDS 16" O.C. WITH REQUIRED INSULATION

NEW PARTITIONS: 2 LAYERS 5/8" SHEETROCK EACH SIDE ON 2"X4" METAL STUDS 16" O.C. WITH "ROXUL" SOUND PROOFING.

NEW BLOCKING (WOOD, METAL) AT EXISTING PARTITIONS:

FIRE DEPT. SAFTEY WALL MTD. FLOOR WARDEN STA. CALL BOX:

FIRE DEPT. SAFTEY STROBE WALL MTD. LIGHT FIXTURE:

EXISTING PARTITIONS TO REMAIN:

EXISTING BUILDING STEAM RADIATOR:

NEW DOOR KEY

NEW INTERIOR GLAZING KEY

NEW INTERIOR WALL TYPE KEY

ELECTRIC PANEL :

A

—(A)
—(A)

EXISTING BUILDING ELECTRIC BASEBOARD RADIATOR:

FIRE DEPT. SAFTEY WALL MTD. PULL BOX :

EXISTING PARTITIONS TO BE REMOVED:

SYMBOL: DESCRIPTION: