

TRAINING CENTRE SECTION

SCALE 1:100

ROOF NOTES

1.0mm STAINLESS STEEL SHALLOW PROFILE ROOF SHEET WITH SILICONIZED WHITE POLYESTER SURFACE FINISH
 1.0mm GALVANISED STEEL SHEET UNDERLAYMENT
 50*50mm HOLLOW SECTION LIGHT GAUGE ROOF BATTEN
 THERMAL INSULATION UNDERLAYMENT TO SPECIFICATION
 120mm PERFORATED STEEL SHEET

250mm R.C WALL CLAPPED BY CORRUGATED STEEL PROFILE PANELS NAILED TOGETHER AND PAINTED w ANTI-RUST ENAMEL TO AAPPROVAL

800mm DEEP CUSTOM COMPOSITE STEEL GIRDER TO S.E DETAILS PAINTED w ANTI-RUST ENAMEL TO APPROVAL

200mm THICK HANDCARVED MASONRY BLOCK WALL

250mm NOMINAL THICKNESS CUSTOM CURTAIN WITH ALTERNATE GLAZING AND ALUMINIUM CLADDING PANELS

200mm THICK MACHINE CUT MASONRY BLOCK WALL PAINTED WITH WATER BASED ENAMEL PAINT TO APPROVAL

350mm THICK SQUARE H.S.S. STEEL COLUMN TO S.E. DETAIL PAINTED WITH ANTI-RUST ENAMEL TO APPROVAL

450mm THICK PRECAST R.C BLOCK FOR TERRACE STANDS

FOUNDATION NOTES

80*10mm TUNNEL AND GROOVE FLOOR FINISH WITH TOP COATING OF POLYEUTHRANE
 THERMAL INSULATION UNDERLAYMENT TO SPECIFICATION
 POLYTHENE SHEETING DAMPPROOF MEMBRANE
 STEEL OPEN WEB JOIST 8" TO 30" DEEP
 HARDPRESSED HARDCORE-DEPTH TO BE DETERMINED ON SITE
 600*600 R.C. FOUNDATION PAD

