

Keynotes

- 1 SLATE TILE ROOF (TYP.)
2 36" HALF-ROUND ROOF VENT
3 ALUMINUM GUTTER WITH DOWNSPOUTS
4 HORIZONTAL WOOD SIDING
5 3" WOOD TRIM (TYP.)
6 2 X12 WOOD TRIM
7 MASONRY VENEER
8 2X8 WOOD FASCIA, PAINTED (TYP.)
9 SPARK ARRESTOR WITH RAIN CAP
10 -

General Notes

- 1 BUILDINGS SHALL BE PROVIDED WITH APPROVED ADDRESS IDENTIFICATION. THE ADDRESS IDENTIFICATION SHALL BE LEGIBLE AND PLACED IN A POSITION THAT IS VISIBLE FROM THE STREET OR ROAD FRONTING THE PROPERTY. ADDRESS IDENTIFICATION CHARACTERS SHALL CONTRAST WITH THEIR BACKGROUND. ADDRESS NUMBERS SHALL BE ARABIC NUMBERS OR ALPHABETICAL LETTERS. NUMBERS SHALL NOT BE SPELLED OUT. EACH CHARACTER SHALL BE NOT LESS THAN 4"H WITH A STROKE WIDTH OF NOT LESS THAN 0.5".
- 2 WINDOWS AND DOORS SHALL BE INSTALLED AND FLASHED IN ACCORDANCE WITH THE FENESTRATION MANUFACTURER'S WRITTEN INSTRUCTIONS. WRITTEN INSTALLATION INSTRUCTIONS SHALL BE PROVIDED BY THE FENESTRATION MANUFACTURER FOR EACH WINDOW OR DOOR.
- 3 EXTERIOR WINDOWS AND SLIDING DOORS SHALL BE TESTED BY AN APPROVED INDEPENDENT LABORATORY, AND BEAR A LABEL IDENTIFYING MANUFACTURER, PERFORMANCE CHARACTERISTICS AND APPROVED INSPECTION AGENCY TO INDICATE COMPLIANCE WITH AAMA/WDMA/CSA 101/I.S.2/A440.
- 4 EXTERIOR SIDE-HINGED DOORS SHALL BE TESTED AND LABELED AS CONFORMING TO AAMA/WDMA/CSA 101/I.S.2/A440 OR AMD 100.
- 5 GARAGE DOORS SHALL BE TESTED IN ACCORDANCE WITH EITHER ASTM E330 OR ANSI/DASMA 108, AND SHALL MEET THE ACCEPTANCE CRITERIA OF ANSI/DASMA 108.

SCALE 1" 5' 10'

No.	Revision/Issue	Date

Firm Name and Address

DES 21 Architects
5100 Sierra College
Rocklin, CA

Term and Course Name:

Sierra College
Architectural Drawing II
DES21 | BI11

Sheet Name

ELEVATIONS

Date (Term)

SPR2025

Scale

1/4"=1'-0"

Student

BAHDOLAN GAGE

Sheet Number

A301

