



BUILDING SECTION
SCALE 1/4"=1'-0"

General Notes

- 1 A WATER HEATER SUPPORTED FROM THE GROUND SHALL REST ON LEVEL CONCRETE EXTENDING NOT LESS THAN 3" ABOVE THE ADJOINING GROUND LEVEL.
- 2 WATER HEATERS SHALL BE STRAPPED TO RESIST HORIZONTAL DISPLACEMENT DUE TO EARTHQUAKE MOTION.
- 3 THE AREA OF FLOOR USED FOR PARKING OF AUTOMOBILES SHALL BE SLOPED TO FACILITATE THE MOVEMENT OF LIQUIDS TO DRAIN OR TOWARDS THE MAIN VEHICLE ENTRY.
- 4 HABITABLE SPACE AND HALLWAYS SHALL HAVE CEILING HEIGHT OF NOT LESS THAN 7'-0". BATHROOMS, TOILET ROOMS AND LAUNDRY ROOMS SHALL HAVE CEILING HEIGHT OF NOT LESS THAN 6'-8"

No.	Revision/Issue	Date

Course Name and Project
ARCHITECTURAL DRAWING 1
 DES 20
 COURSE PROJECT
 RESIDENTIAL WOOD FRAMED
 1 STORY HOUSE

Sheet Name (Assignment)
SECTION

Student TORRES, KITKAT	Sheet A401
Date 11-15-25	
Scale 1/4"=1'-0"	